

Product data sheet

Specifications



APC Smart-UPS X Battery pack for Extended runtime, Rack/Tower 2U, 120Vdc



SMX120RMBP2U

Overview

Lead Time Usually Ships within 2 Weeks

Main

Product Or Component Type	Battery
Number Of Rack Unit	2U
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide Rack Mounting brackets

Batteries & Runtime

Battery Blocks Per String	10
Device Mounting	Enclosed battery cartridge
Included Battery Modules	0
Battery Slots Empty	0
Rbc Quantity	2
Battery Voltage	120 V
Replacement Battery	APCRBC118

Physical

Color	Black
Height	3.35 in (8.5 cm)
Width	17.01 in (43.2 cm)
Depth	26.26 in (66.7 cm)
Net Weight	124.25 lb(US) (56.36 kg)
Mounting Mode	Rack-mounted
Usb Compatible	No

Environmental

Ambient Air Temperature For Operation	32...104 °F (0...40 °C)
Relative Humidity	0...95 %
Operating Altitude	0...10000 ft
Ambient Air Temperature For Storage	5...113 °F (-15...45 °C)

Storage Relative Humidity	0...95 %
---------------------------	----------

Storage Altitude	0...50000 ft (0.00...15240.00 m)
------------------	----------------------------------

Ordering and shipping details

Category	11309-APC RESALE PRODUCTS
----------	---------------------------

Discount Schedule	APC1
-------------------	------

Gtin	731304295839
------	--------------

Returnability	No
---------------	----

Country Of Origin	PH
-------------------	----

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Number Of Units In Package 1	1
------------------------------	---

Package 1 Height	9.57 in (24.3 cm)
------------------	-------------------

Package 1 Width	23.46 in (59.6 cm)
-----------------	--------------------

Package 1 Length	34.21 in (86.9 cm)
------------------	--------------------

Package 1 Weight	140.30 lb(US) (63.64 kg)
------------------	--------------------------

Unit Type Of Package 2	PAL
------------------------	-----

Number Of Units In Package 2	6
------------------------------	---

Package 2 Height	34.25 in (87 cm)
------------------	------------------

Package 2 Width	39.37 in (100 cm)
-----------------	-------------------

Package 2 Length	47.24 in (120 cm)
------------------	-------------------

Package 2 Weight	859.80 lb(US) (390 kg)
------------------	------------------------

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

[Learn more about Green Premium >](#)





Take-back Transparency RoHS/REACH

Resource performance

 Take-Back Program Available

Well-being performance

 Mercury Free

 Rohs Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Pro-active compliance (Product out of EU RoHS legal scope)

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)

California Proposition 65 WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov